

RLA TRU GRIP

PRODUCT

RLA TRU GRIP is a one-part solvent free moisture curing polyurethane adhesive which once hardened transforms into a fast setting surface adhesive and has excellent resistance to water and heat.

Conforms to DIN EN204 D4 for waterresistant bonding.

USE FOR

Smoothedge, Gripper, Wood Products, Metal Trims, Nosings and some Ridged PVC (Not PP or PE) and many other products.

PREPARATIONS

Cut nozzle as required.

Apply a bead of adhesive to one surface, and push the product together and secure down firmly onto the surface and ensure that the adhesive film up to 3mm thick covers the full width of the product being secured. Pressure may need to be applied to keep the two surfaces in contact while adhesive cures.

Nosings and oversize extrusions should be secured with Roberts TRU GRIP and appropriate fixing screws.

CURING TIME

Approx. one hour. The curing time may be reduced by spraying a light mist film of water on the substrate or back of the item being adhered.

Final setting time 24 hrs.

CLEAN UP

Remove any wet adhesive with paper or cloth. When cured by mechanical means.

Contains: Diphenylmethane Diisocyanate Always carry out your own test area to confirm suitability with your application.

TYPICAL PROPERTIES

Chemical basis: Polyurethane

Cure mechanism: Moisture curing

Density: (g/cc) 1.13 + 0.02

Viscosity: 6000 cps approx.

Film formation time: 5 – 10 minutes 23°C approx and 50% r.h.

Application temperature + 5°C - +35°C

Temperature resistance - 40°C/+100°C

Colour: Amber

SHELF LIFE

Roberts TRU GRIP can be stored for 12 months in its original packing

SAFETY DIRECTIONS

Storage

For optimum shelf life store in tightly closed, original containers out of direct sunlight.

Disposal

Please dispose of empty containers and residue in accordance with your local waste management regulations

The application, use and processing of our products is the responsibility of the user. Any technical or other advice, information or data provided by us, whether verbally, in writing or by way of trials or tests, is given without guarantee or warranty. Refer to Material Safety Data Sheets for information on Storage & Handling, Health and Safety, and Transport.

RLA POLYMERS PTY LTD

ACN 004 739 915

215 Colchester Road, Kilsyth, Victoria 3137 Australia

P.O. Box 147, Kilsyth, Victoria 3137 Australia

Telephone: (03) 9728 1644 • Facs/mile: (03) 9728 6009

E-mail: info@rlapolymers.com.au • Web: www.rlagroup.com.au

FIRST AID

For advice or you feel unwell contact a Poisons Information Centre (Australia ph 131 126, New Zealand ph 0800 764 766) or a doctor at once.

If swallowed do NOT induce vomiting.

IF SWALLOWED immediately call the Poisons Information centre or a doctor.

IF ON SKIN Remove immediately all contaminated clothing and wash skin with soap and water. If skin irritation occurs get medical advice/attention. IF IN EYES Rinse carefully with water for several minutes. If eye irritation persists get medical advice/attention.

Wash contaminated clothing before reuse.

Safety and Handling:

Safety Data Sheet available upon request..

Warranty Statement

RLA Polymers guarantees this product against manufacturing defects and guarantees it to be manufactured to our published specification.

We certify that when fully cured this product is suitable for use and will perform as described in our technical data sheet or other published materials.

RLA Polymers will replace product free of charge when purchased from any legally verifiable source, and where product is proven to have been stored, handled and installed according to instructions published on our packaging and within the stated shelf life. The Installation of all materials must be carried out in accordance with the relevant Australian Standard and the Floorcovering Manufacturers instructions and the floorcoverings must have been subject to normal traffic conditions.

Warranty doesn't not apply if damage, loss, failure to follow instructions or other circumstances are out of our control.

Sufficient time and access to investigate any complaint must be accorded to RLA Polymers.

The consumer is responsible for any expenses incurred in making a claim.

A claim form can be requested by:

Phone: 1800 242 931

Email: info@rlapolymers.com.au

Mail: 215 Colchester Road Kilsyth Victoria 3137 (attn Customer Services)

Australian Consumer Law

Our goods come with guarantees that cannot be excluded under the Australian Consumer Law. You are entitled to a replacement or refund for a major failure and compensation for any other reasonably foreseeable loss or damage.

You are also entitled to have the goods repaired or replaced if the goods fail to be of acceptable quality and the failure does not amount to a major failure.

The benefits under our warranty are in addition to other rights and remedies available to the consumer under the law in relation to the goods and services to which the warranty relates.

Disclaimer

All Statements and technical information contained herein are based on tests we believe to be reliable but the accuracy thereof is not guaranteed.

Users assume all risk and liability resulting from the use of the product and must confirm the suitability thereof by their own tests.

Conditions of Sale contain a limited warranty against manufacturing defects.

Issued: July 2016

The application, use and processing of our products is the responsibility of the user. Any technical or other advice, information or data provided by us, whether verbally, in writing or by way of trials or tests, is given without guarantee or warranty. Refer to Material Safety Data Sheets for information on Storage & Handling, Health and Safety, and Transport.

RLA POLYMERS PTY LTD

ACN 004 739 915

215 Colchester Road, Kilsyth, Victoria 3137 Australia

P.O. Box 147, Kilsyth, Victoria 3137 Australia

Telephone: (03) 9728 1644 • Facs mile: (03) 9728 6009

E-mail: info@rlapolymers.com.au • Web: www.rlagroup.com.au